

PNC CENTRE AT ONE NORTH FRANKLIN

Rules and Regulations

This document has been developed by the building management team of One North Franklin (“Building Management”) to provide information regarding policies and procedures for working in the building. The purpose is to facilitate the completion of projects in a timely and safe manner.

As a general contractor, contractor, subcontractor, vendor, or service provider (“Contractor”) for either Building Management or a tenant at One North Franklin, you may find that some of these rules and regulations do not apply to the type of work you are performing. Regardless, per your contract with Sub-Manager or with a tenant by and through their lease agreement, you will be held responsible for any and all of the rules and regulations included herein that are applicable to your work.

Cooperation is essential and although not all possible situations can be foreseen, these guidelines deal with general areas of concern. Should any issue, not dealt with herein arise, contact the Office of the Building during regular business hours.

It is expected that Contractor will abide by all applicable codes including, but not limited to, legal City of Chicago building codes, OSHA, NFPA, and EPA guidelines.

Security for the construction area during construction work is the responsibility of Contractor. This extends to possessions as well as the securing of the area upon completion of the work period. All temporary locking devices are to be provided by the building’s Chief Engineer, or if provided by Contractor, access must be provided to Building Management. No area of the building may be locked, even on a temporary basis, using a cylinder that is not keyed to the building master.

We expect a contractor working in our building to realize that he and his employees are invited guests and will be expected to exercise good judgment and courtesy at all times. Furthermore, be aware that numerous other businesses are operating within the building simultaneously and Building Management is committed to providing them with a quiet, clean, and safe environment.

Building Management reserves the right to halt or delay any work in the building if we determine that the work interferes with our tenant’s ability to reasonably conduct their business. All loud noise related work shall be completed prior to 8:00 a.m. or after 6:00 p.m. unless other specific requirements are made by adjoining tenants.

Any and all work that results in odor causing particulate/generating or noise affecting areas in the building other than the floor under construction, including but not limited to concrete coring or sawing, hammering, drilling, shooting of ceiling hangers, cutting of pipes along the columns or within the concrete slab, ***shall be done after regular business hours or on weekends***, or with the prior permission of Building Management. Security measures will be taken if required to assure compliance. Should a building engineer be required, the contractor shall pay the building for the cost of same.

When after-hours work is required, Building Management and Security must be notified no later than 2 hours prior to the close of business on the preceding business day (3 p.m.). Also, arrangements must be made at this time for freight elevator or rubbish removal service. See Contractor After Hours Building Access Authorization Form.

Prior to the start of work, Contractor must submit the permit, insurance certificates and the names and addresses of all subcontractors, together with the name and telephone number of a contact person for each subcontractor to the Sub-Manager. Also, Contractor must introduce the job superintendent to the Sub-Manager, Chief Engineer, and Security. See Project Information Sheet.

A current certificate of insurance is required of *all* tenants, architects, interior space planners, general contractors, contractors, subcontractors, vendors and service providers before the commencement of services, as follows:

1. The Service Contractor shall evidence at least the following insurance coverage, provided that the amounts listed below will not act as a limitation on recovery from Service Contractor's insurance:

A. Commercial General Liability

Commercial General Liability insurance on a form at least as broad as Insurance Services Office ("ISO") commercial general liability coverage "occurrence" form CG 00 01 04 13 or another "occurrence" form providing equivalent coverage, including but not limited to contractual liability coverage, independent contractor's liability, coverage for bodily injury (including death), property damage (including loss of use thereof), ongoing and completed operations, products liability, and personal and advertising injury, in the following amounts:

\$1,000,000 Per Occurrence Limit
\$2,000,000 General Aggregate Limit

This coverage shall be primary to Owner, Manager and Sub-Manager's coverage, and Owner, Manager and Sub-Manager's coverage shall be noncontributory.

B. Excess or Umbrella Liability

Service Contractor shall provide Excess or Umbrella Liability insurance on a follow-form basis with respect to the Commercial General Liability, Employers' Liability, and Commercial Automobile Liability insurance with minimum limits equal to \$2,000,000 each occurrence and \$2,000,000 annual aggregate.

C. Worker's Compensation - Statutory Limits

D. Employers' Liability

With minimum liability limits of \$1,000,000 bodily injury by accident each accident, \$1,000,000 bodily injury by disease policy limit, and \$1,000,000 bodily injury each employee.

E. Commercial Automobile Liability

Combined Single Limit - \$1,000,000 per accident.

Such insurance shall cover injury (or death) and property damage arising out of the ownership, maintenance or use of any private passenger or commercial vehicles and of any other equipment required to be licensed for road use.

F. Property Insurance

All-risk, replacement cost property insurance to protect against loss of owned or rented equipment and tools brought onto and/or used on any Property by the Service Contractor.

G. Errors and Omissions Liability (applicable to Uninterrupted Power Service (UPS) services and Service Contractors providing Consulting services related to their Contract Duties)

Service Contractor shall provide Liability limits of at least \$5,000,000 per claim and \$5,000,000 in the aggregate. The retroactive insurance date of such insurance shall be no later than the commencement date of the contract. Such insurance shall be provided for two years beyond the completion of the work.

2. The Commercial General Liability and Commercial Automobile Liability policies shall include the following as additional insured, including their officers, directors and employees. Additional Insured endorsements CG 20 10 04 13 and CG 20 37 04 13 or their equivalent shall be utilized for the Commercial General Liability policy. Please note that the spelling of these parties must be exactly correct or the Contract Duties will not be allowed to commence.

1. MCPP One North Franklin, LLC
2. MIM Property Management, LLC
3. Jones Lang LaSalle Americas, Inc.
4. Jones Lang LaSalle Americas (Illinois), L.P.
5. their Successors and/or Assigns ATIMA, are added as an additional insured with respect to One North Franklin Street in Chicago, Illinois.

3. Service Contractor waives any and all rights of subrogation with respect to its commercial Property and Worker's Compensation insurance policies against the parties identified above in Paragraph 2.

4. All policies will be written by companies licensed to do business in the State of Illinois and which have a rating by Best's Key Rating Guide not less than "A-/VIII".

5. Service Contractor shall furnish Certificate(s) of Insurance evidencing the above coverage, except Property insurance. Certificate(s) of Insurance must be provided before Service Contractor commences Contract Duties or Contract Duties will not be allowed to commence.

6. Certificate(s) of Insurance relating to policies required under this Agreement shall contain the following provision:

"Should any of the above described policies be cancelled before the expiration date thereof, notice will be delivered in accordance with the policy provisions."

7. The following should be listed as the Certificate Holder:

Jones Lang LaSalle Americas (Illinois), L.P.
One North Franklin Street, Suite 370
Chicago, Illinois 60606
Attn: General Manager

Any insurance limits required by the contract documents are minimum limits only and not intended to restrict the liability imposed on any contractor for work performed under the contract.

Contractor is responsible for coordinating **all** insurance certificates prior to mobilization and before any work will be allowed to commence on site. All contractors hired shall be obligated to maintain their own worker's compensation insurance coverage, unless specifically waived by Sub-Manager.

AGAIN, PLEASE REMEMBER THAT WE MUST RECEIVE A CURRENT CERTIFICATE OF INSURANCE PRIOR TO THE START OF WORK OR COMMENCEMENT OF DELIVERY.

TRADES PERSONS RULES

- 1. Unions** - All trades persons are to have the proper trade union or other affiliations as required by the local jurisdictional entities. Copies of signed labor agreements are to be on file in the field office. This applies for both tenant- and general contractor-hired subcontractors. Any building disruption caused by jurisdictional disputes between different labor unions is the responsibility of the tenant to resolve. Action taken by Building Management to minimize impact to the building may include shutting projects down until disputes are resolved.
- 2. Elevators** - *Tradespersons will use the freight elevators only for access to and from construction floors.* Building Management reserves the right to monitor and require specific rules for the use of elevators if it so warrants or to limit the use of the elevators if the privilege is abused.
- 3. Public Areas** – Building Management does not permit anyone to loiter in public areas of the building and construction personnel may not loiter in the areas of the building where they are not working.
- 4. Smoking** - There is absolutely no smoking allowed anywhere in the building, specifically, spaces under construction. Contractor is required to see that this policy is adhered to.
- 5. Bathrooms** – *Tradespersons will use the bathrooms on the 3rd floor only.* Please contact Building Management for the access codes.
- 6. Identification** – All tradespersons must sign-in with Security every morning. A valid United States Government issued federal or state issued identification must be provided. Union cards and identification issued by foreign governments are not acceptable. Access will be denied to any tradesperson who cannot meet this requirement.
- 7. Property** – Destroying or removing without permission, any property belonging to the building, its occupants, and employees of the building or other contractors is not allowed.
- 8. Behavior** – Fighting, abusive language, creating a disturbance or playing a radio at excessive levels is not allowed. Any tradesperson who reports to work under the influence of illegal drugs, alcohol or any medication will be denied entry to the building or asked to leave.
- 9. Picture taking** – No tradesperson is allowed to take any pictures of the building or work being done without prior approval from the Sub-Manager.
- 10. Defacement**- Graffiti, defacement of property or posting of signs not authorized by the building is not allowed.

11. Base Building - No contractor is allowed to remove, even on a temporary basis, any base building parts or equipment without written authorization from Building Management. This includes but is not limited to doors, windows and window treatments, sinks, toilets, faucets and all conduits or pipes that serve such systems.

12. Life Safety - No contractor is allowed to interrupt any life safety system including but not limited to strobes, speakers, flow switches, or door fail safe wiring or mechanics without written authorization from Building Management.

CONSTRUCTION DOCUMENTS & SPECIFICATIONS

No work will be allowed to proceed without Building Management first reviewing the most current set of drawings outlining the scope of work. If the Sub-Manager or Chief Engineer requires the services of outside consultants, i.e., a structural engineer to review load or coring requirements, the cost of such review will be the responsibility of the contractor and/or tenant for whom the job is being performed.

PERMITS

The following is required of the Contractor prior to the start of construction or the delivery of materials:

- A copy of the building permit must be posted at the job site.
- A copy of the building permit must be kept on file in the Office of the Building, immediately upon receipt from the City of Chicago.

RUBBISH REMOVAL

The removal of all construction debris shall be scheduled and approved by Building Management. From time to time, Building Management may have a contract with a particular vendor to be the exclusive dumpster provider for projects at PNC Centre. Contractor must check with Building Management prior to ordering a dumpster whether or not such a contract is in place at the time of the project.

Contractor will be responsible for bringing all rubbish to the loading dock and placing it into a designated dumpster. Scheduling for freight elevator time is required and dumpster box pickup and delivery is to be coordinated by Contractor with the waste hauler used. Contractor's dumpster is not allowed to occupy a loading dock slip during regular business hours. All removal of construction debris shall be performed after normal business hours or on the weekend.

All food waste and any other debris that may cause safety hazards, odors, or any other building problem must be removed on a daily basis.

Stairwells and corridors must be kept clean and clear of debris.

FREIGHT ELEVATORS

The freight elevator is controlled by a key card reader, which can be operated after hours by authorized key cards only. Reservations must be made with Building Management. A charge of \$60 per hour with a 4-hour minimum will be assessed to the tenant for use. Scheduling should be arranged a minimum of 24 hours in advance with Building Management. Should it be necessary to move any oversize equipment, the Chief Engineer must be consulted. Any hoisting requiring use of Kone personnel will be billed to tenant per Kone's current rates.

Freight Car Specifications:

Width	Length	Height	Outer Door Height	Outer Door Width	Capacity
6'0"	8'0"	10'0"	10'0"	4'9"	4,500 lb.

Note: Building elevator personnel must do special hoisting of oversized and/or heavy items. Coordination must be made through the Chief Engineer.

FREIGHT ELEVATOR LOBBY (TYPICAL FLOORS)

The design and construction phase must account for City of Chicago Code compliant egress out of the passenger and freight elevator lobbies at all times. This is to include un-obstructed access to both north/south stairwells. The tenant's security concerns should be evaluated with respect to this requirement.

ELEVATOR LOBBIES MUST BE KEPT CLEAR OF ALL DEBRIS!

LOADING DOCK

All materials must be brought into the building at the loading dock, which is located on West Calhoun Place. All deliveries must be scheduled and coordinated with Building Management. Regular dock hours are Monday through Friday 6:00 a.m. to 6:00 p.m. During regular hours, there is a 30 minute time limit for dock access. Any dock access requiring more time needs to be scheduled during after-hours.

SITE SECURITY

Contractor is responsible for the security of the project site for the duration of the work. Security of the building must have access to the site at all times. Contractor is responsible to insure that Security has the proper keys necessary for such access.

HAZARDOUS MATERIAL STORAGE

All hazardous material must be properly stored on the job site. *The location of the stored hazardous material must be provided to the Chief Engineer.* (In case of a fire, the location of such material must be immediately available).

A list of all hazardous materials as well as copies of all MSDS sheets must be supplied to Chief Engineer.

WINDOWS

Building Windows/Blinds/film must be protected during the construction process. A site survey of the building windows/blinds/film will be performed both before and at the conclusion of the project. Any damage not noted during the initial walk through will be the responsibility of Contractor at the end of the construction. Any window repair costs will be charged to the tenant or Contractor.

If there are any questions regarding the windows, contact Building Management.

CARPETING

Both broadloom and carpet tiles are approved for installation at the building. In the case of broadloom carpet, tackless strip installation must be scheduled for either before or after regular business hours or on a weekend.

All carpeting should be delivered to the loading dock and taken to the location of installation within the building upon delivery. The carpet installer or Contractor must dispose of old carpet. **Building dumpsters are not to be used.**

The cost to repair or repaint a wall or walls damaged, as a result of carpet installation will be the responsibility of the carpet installer or Contractor.

All corridor carpeting, walls and freight corridor VCT must be protected with Masonite during deliveries and for construction foot traffic. Any cutting of carpeting to gain access to floor walker duct system will be repaired at tenant's or Contractor's expense.

HVAC

Contact the Chief Engineer for fan schedules. Contact the Chief Engineer for VAV box schedule. Architect shall contact Kent Consulting Engineers for the typical base building MEP specifications and guidelines. All drawings must be submitted to KCE for peer review.

HVAC test and air balance reports are to be submitted to the Chief Engineer upon completion of work for review.

All supplemental A/C units and condenser water pumps need drip pans. Ceiling mounted units need vibration suppression system. Condensate piping will be insulated its full length.

The installation of filter media over the return duct work is mandatory throughout the area of construction. The building utilizes a plenum return air system, keeping the construction particulates out of the HVAC system is a must.

All new chilled or condenser water lines must be flushed and chemically cleaned before opening the lines to the system. Should additional corrosion inhibitor be needed contractor must add to the system. The cost of cleaning and/or additional chemicals will be charged to the contractor. There is a one-time tap in fee of \$1,500 to the building condenser water riser. The HVAC contractor will install futures on both the supply and return lines when tying into the condenser riser. Spot coolers of any type are prohibited. Tenants are to comply with the clean air act and subsequent amendments covering CFC refrigerants release, testing, installation, training, servicing, etc.

FIRE PROTECTION SPRINKLERS

All work on the Fire Protection system including sprinkler rework that requires a drain down must be scheduled with the Chief Engineer. Engineers, Security, and utility charges that apply are billable to the tenant or Contractor.

Work to be performed on the fire life safety or sprinkler system Monday through Friday requires (at minimum) a one-day notice. Work planned for the weekend requires a two-day notice.

If work involves any drain down of the fire protection system a flush test must be conducted and written results submitted to the Chief Engineer. If 20 or more sprinkler heads are reconfigured in any way, a hydrostatic test must be carried out and written result submitted to the Chief Engineer. The cost of this testing is the responsibility of the contractor.

Any smoke detectors in the common areas on the floors permanently affected by dust must be replaced at the contractor's expense.

The building smoke detection system is an “addressable” system, and therefore, must be re-addressed by Simplex-Grinnell if a detector is relocated or removed. Any work to be done on this system, either smoke or heat detector, or speaker / strobe will be performed by the building’s engineer in coordination with the contractor. The Contractor will provide drawings to Simplex and the Chief Engineer in the case of additional speaker/strobes being added to the system. Circuit capacity ratings need to be confirmed with Simplex prior to work commencing

All devices to match building standard. Contractor’s electrician needs to sign off on fire/life/safety affidavit upon device wire run. All final terminations to the fire system need to be completed by Simplex. Contractor to contract with Simplex to confirm new/relocated devices work as designed. Simplex will also provide a system acceptance affidavit upon a successful test.

Contractor is responsible for coordinating this activity. Contractor may coordinate work with building based on the above referenced guidelines. All penetrations are to be sealed with approved fire rated material.

FIRE PROTECTION SPRINKLERS CONT.

No welding or any other work that has the potential of activating the building fire/smoke detection system or has the potential of attracting outside attention may commence without first informing the Chief Engineer. It is **MANDATORY** that welding, torching, and soldering permits be obtained from the Chief Engineer. The Hot work permit procedure must be followed step by step. A sample permit is attached at the end of this document. Upon completion of the work, it is mandatory that the Chief Engineer be notified.

Hot Permits will be issued through the Chief Engineer. Please supply the following information:

- A. Your company name
- B. Nature of the job, i.e. welding, sweating water lines, etc.
- C. The firm, floor, and specific location of the work area
- D. The approximate time involved, start to finish

No work shall be performed if a welding/cutting permit has not been issued by a building representative. Contractor is responsible for fire safety including providing watchman and extinguishers during construction.

PLUMBING

Before any plumbing shutdowns may begin, the contractor must first check in with the Chief Engineer. Contractor is responsible for coordinating the activity. Futures (for future work) must be provided at wet columns, vent, and drainage systems. Any unused piping and associated hangers must be removed back to its source.

Trap primers will be installed on all new services, along with vacuum breakers for dishwashers.

Grease Traps at tenant sink locations are to be considered a building standard. Access to trap must be maintained for cleaning.

Copper is considered property of the building and must not be removed, even if included in demolition plans, without prior approval of owner/manager.

ACCESSIBILITY

All new or existing MEP items, whether behind walls or above ceilings, which require maintenance must remain accessible at the completion of the project. Projects must meet all ADA requirements.

HOT TAPS

Hot taps are to be pressure tested prior to doing actual hot tap, and are checked by the Chief Engineer.

ELECTRICAL

All Electrical Contractors must comply with OSHA Arch Flash Requirements.

An Energized work permit must be filled out for all work over 50 volts. Energized work must be limited to 600 volts or less. ARC Flash Protective clothing and equipment must be worn at all times and the work area must be cordoned off to protect other workers.

Prior to demolition work, Contractor must contact the Chief Engineer, at least 48 hours in advance, to coordinate non-demo conduit identification.

New and existing load capacities of general office tenant connected equipment must be provided with metered panels to tenant.

Chief Engineer will coordinate emergency lighting and signage circuitry.

Under no circumstances are tenant receptacle services to be connected to building electrical panels. Any electrical contractor found doing this, will not be permitted to perform work in the building in the future.

Electrical and telephone (if involved) closets are to be cleaned at completion of work. All penetrations to be sealed equal to fire wall rating. Panel directories are to be updated and inserted in panel door with a copy submitted to the Building Management.

Access to ceiling mounted electric re-heat unit panels will be maintained for service.

The buildings Riser Management Company must be engaged for any work in the buildings riser closet. IMG Technology Support Center can be contacted at (888) 464-5520 to set up scheduling.

Any unused conduit and associated hangers must be removed.

AS-BUILT DRAWINGS AND CLOSE OUT DOCUMENTS

All mechanical trades are required to submit copies of as-built drawings to Contractor. Contractor will make one submission of three copies of as-built drawings for all trades to Sub-Manager. All as-built drawings are to be dated and signed by the appropriate subcontractor as well as Contractor and submitted to Sub-Manager, within 30 days of substantial completion. A 10% final payment retention will be held from Contractor and all MEP subcontractors until all as-built drawings are received and approved at close of project. This is to include the completion of the punch list walk thru items and the close out binder. There will be no exceptions.

A complete set of drawings must be submitted on CAD disk.

GENERAL INFORMATION

Security is on duty in the building twenty-four hours a day, seven days per week. Reimbursable expenses incurred by Contractor for tenant construction will be invoiced to tenant by Building Management. The need for extra security coverage will be billed to the tenant at the prevailing rate.

FINAL CLEAN

Prior to the space being turned over to the tenant/building, the site must be final cleaned, to standards appropriate for tenant occupancy. The final cleaned condition must be approved by the Housekeeping Manager. If the condition is unacceptable for occupancy, Sub-Manager will have the situation corrected and will charge the tenant or Contractor.

Blind installation to be coordinated with Building Management.

SCHEDULED WORK

All demolition work or any work that creates loud noise, smells or otherwise interfere with the normal operation of the building will be performed afterhours. And all costs will be billable to the tenant. A building engineer will be onsite during all afterhours work and all associated overtime charges will be billed to the tenant or Contractor.

All work that does not take place during regular building business hours (refer to page 1) should be noted on the After-Hours Authorization form and sent to the Sub-Manager as soon as reasonably possible. It is important for security and life-safety reasons that Security and the Chief Engineer are aware of contractor presence. If an after hour emergency arises, Security (312) 629-1700 must be notified.

AFTER-HOURS ACCESS

Entrance to the building after hours is controlled by Security. In order to facilitate after hours entrance or departure, it is important that the building manager be notified of the need as soon as reasonably possible. If an after-hours emergency arises, you must notify security.

PROPERTY REMOVAL PASSES

For anything leaving the building, including tools and parts, a property pass is required. This pass must be signed by Contractor, Job Superintendent or Foreman. Security officers will not accept them unless they are signed by authorized personnel. These property passes can be requested from Building Management.

ACCIDENTS

All accidents must be reported to security immediately. Security will dispatch the appropriate personnel and facilitate the emergency procedures. In serious cases call 911 for the Chicago Fire Department and/or Paramedics and then notify The Office of the Building and Security (312) 629-1700.

FIRES

All fires must be reported to 911 and Security **immediately** (312) 629-1700.

LOCKSMITHING

The Chief Engineer will consult, order, and install all locking mechanisms. The Chief Engineer is responsible for all keys and all other types of locks and the installation of all lock cylinders/cores. Contact Building Management directly for assistance (312) 629-1700.

Contractors must submit a copy of the final hardware schedule 4 weeks prior to the completion date of each individual project. Failing to comply with this requirement will delay the installation of all lockable cylinders on your project. The building standard lockset is a Yale 8800, with a Schage Primus 6-pin cylinder. The Chief Engineer will order all required cylinders.

Contractor will be back charged for lock mechanisms tampered with in construction areas.

INSPECTION

Building personnel will conduct periodic inspections of the construction site. Prior to ceiling installation, Contractor must contact the Chief Engineer for an above ceiling inspection.

FINAL INSPECTION

Contractor must contact the Chief Engineer to arrange a final inspection of construction space.

STANDPIPE / RISER DRAIN DOWN

GUIDELINES

- Riser drain downs will need to be scheduled with the Chief Engineer 24 hours prior to scheduled work.
- Contractor shall perform a Fire Watch.
- Engineers, Security, and utility charges that may apply are billable to the tenant or Contractor.
- Riser drain downs must be kept to a minimum.
- Riser work should typically be completed within two hours. All piping should be run to the riser with only the tie-in remaining to be completed.
- Flush testing and hydrostatic testing may be required by Sub-Manager at tenant's or Contractor's cost.

PROCEDURES

- Contractor must request drain down 24 hours prior.
- Engineers will disable Tyco monitoring system.
- Engineers will isolate system and drain to below the construction floor.
- Contractor must verify with Engineers that the riser drain down is complete before cutting into the riser.
- Contractor must physically verify that the riser is drained down, before cutting into the riser, by opening the fireman's hose connection valve on the construction floor.
- Contractor must notify Engineers when work is finished, and request system fill up.
- Engineers will accompany Contractor while system is being refilled.
- Contractor will verify that there are no leaks with Engineers.
- Engineer will enable Tyco monitoring system.

SINGLE FLOOR SPRINKLER DRAIN DOWNS

- Contractor notifies Engineers of location where work is to be done (Floor # and Floor Location) before starting work.
- Engineer disables the Tyco monitoring system for the affected floor.
- Engineer will isolate the system on the floor and drain.
- Contractor can begin work.

- Contractor notifies Engineers when work is complete and requests a system refill.
- Engineer refills system and checks for leaks with Contractor.
- Contractor will not leave the building if any leaks are detected. System to be re-drained and leaks repaired by Contractor.
- Once system is filled and leak free, Engineer verifies that all alarms have been cleared.
- Engineers enable Tyco monitoring system.

SAFETY PRACTICES

All contractors and its employees must follow safety practices outlined by Building Management, Contractor and OSHA. Contractor is responsible for maintaining and enforcing their own safety rules and procedures. Under no circumstances will Building Management or its employees accept responsibility for monitoring general safety guidelines. The following guidelines for safety in the building should be followed but is not all inclusive of safety practices required by law, or any other rules that may apply.

- Take special precautions if welding or cutting in a confined space is stopped for some time. Disconnect the power on ARC welding or cutting units and remove the electrode from the holder. Turn off the torch valves on gas welding or cutting units, shut off the gas supply at a point outside the confined area, and, if possible, remove the torch and hose from area.
- After welding or cutting is completed, mark hot metal or post a warning sign to keep workers away from heated surfaces.
- Follow safe housekeeping principles.
 1. Don't throw electrode or rod stubs on the floor - discard them in proper waste container.
 2. Keep construction area as free of debris as possible.
 3. Keep chemicals secured in approved storage cabinets.
 4. Keep floors dry and clean.
- Hard hats/safety glasses must be worn at all times inside the construction area.
- All contractors must supply a list of all hazardous materials and their locations as well as all MSD sheets to the Chief Engineer.
- Keep a fully stocked and clearly marked first aid supply kit on the job site at all times.
- Make sure there are fully charged, appropriate fire extinguishers present on the job site.
- An emergency brigade should be established and drills held. If you should need help in establishing a brigade or holding a drill, contact Building Management.

GUIDELINES FOR CUTTING / WELDING

The following guidelines for cutting/welding in the building should be followed, but it is not all inclusive of safety practices required by law, or any other rules that may apply.

- Make sure that sprinklers are in service.
- Make sure that cutting and welding equipment is in good repair.
- Make sure floors are swept clean of combustibles.
- Combustible floors: wet down, cover with damp sand or fire-resistive sheets.
- Flammable liquids are removed; other combustibles, if not removed, protected with fire-resistive tarpaulins or metal shields.

- Explosive atmosphere in area eliminated.
- All wall and floor openings are covered.
- Fire-resistive tarpaulins are suspended beneath work.

WORK ON WALLS OR CEILINGS

- Construction of the building structure is noncombustible and without combustible covering or insulation.
- Make sure combustibles are moved away from the other side of wall.
- Make sure all flammable liquids are purged from the work area.
- Any type of "Hot Work" requires a fire watch, appropriate extinguishers or fire hose, and a "Hot Work" Permit (see attached).

STRUCTURAL SLABS

- Saw cutting or trenching of floor slab is not permitted without prior written approval from Chief Engineer and review by building's structural consultant.

WORK ON ENCLOSED EQUIPMENT

- Enclosed equipment cleaned of all combustibles.
- Containers are purged of flammable liquids.

CORING

- All coring must be coordinated in advance with the Building Management.
- Any coring must be completed prior to 8:00 a.m. or after 6:00 p.m. Monday through Friday, or on Saturdays between 7:00 a.m. and 3 p.m. It may be necessary to adjust the hours due to the request of a tenant whose space must be entered for the purposes of coring. All coring locations need approval from the Chief Engineer.
- When coring is performed where it is necessary to enter other tenant space, an engineer will be required to monitor the activity at the expense of the contractor. If any work is to be performed over the main lobby or retail tenant's space, a building engineer may be required dependent upon the location of the coring. Coring is not allowed through structural beams or girders.
- All coring will require an individual stationed below the floor to be cored during such coring to ensure that no other individuals are in the area that may be injured due to falling debris.
- Any cores must be completely sealed with approved fire stop once conduit is placed.
- The building will require a coring schedule in order to notify tenants on adjacent floors as well as to determine whether or not building security is required. The tenant will be billed for any security labor required for such coring at the prevailing rate.
- No penetrations are allowed on exterior walls or roof of the building.

- Further, with regard to any coring above the main lobby or any retail tenant, the following will be required:
 - The lobby ceiling / walls must be kept clean and free of any damage.
 - All panels must be replaced daily following any work so that the main lobby remains free of any evidence of work during normal working hours.
 - Any damage to these panels will be repaired immediately by the building and any cost incurred will be billed to the tenant.

CORRIDORS / COMMON AREAS

All common areas between the work area and the freight elevator must be protected on any occupied floor (i.e., Masonite over carpeting, door protection, wall protection where necessary, etc.) Further, common sense should be used in the areas of safety for contractors and tenants alike; if contractors are working in an area where tenants must pass or are nearby, provide appropriate verbal and visible warnings. Under no circumstances may a corridor, washroom or stairwell be blocked without prior notification to the building management. Use of washrooms is not extended to contractors on any tenant floors. Contractors must use the washrooms on the 3rd floor only. Contractors must clean up any common areas of the building that they create using their own equipment.

FIRE WATCH

- Fire watch will be provided by the Contractor during and for at least 60 minutes after work, and during coffee or lunch breaks.
- The fire watch is supplied with suitable extinguishers, provided by the GC.
- The fire watch is trained in use of this equipment and in sounding alarm.
- Report the beginning and conclusion of the fire watch to Security (312) 629-1700.

******Please fill out all applicable forms attached and deliver to the Sub-Manager immediately upon signing of this contract.**

Contractors will be asked to confirm in writing, receipt and understanding of these rules and regulations. In addition, Contractor must distribute a copy of these rules to all subcontractors and must ensure their compliance. A copy of this must be provided to the Chief Engineer. A copy of these rules and regulations must be posted on the jobsite. The building reserves the right to refuse entry to any contractor, or ask any contractor to stop work or leave the building if these rules are not followed.

PROJECT INFORMATION SHEET

Please fill out the information listed below. This information must be completed before ANY work can begin in your space. Once this information has been completed please send to the Sub-Manager.

PROJECT: _____

LOCATION: _____

CONTRACTOR: _____

SUPERINTENDENT: _____

DAY-TIME PHONE NUMBER: _____

AFTER-HOURS PHONE NUMBER: _____

MOBILE PHONE NUMBER: _____

NORMAL WORKING HOURS: _____

DURATION OF PROJECT: _____

SUBCONTRACTORS: (Include M.E.P. contractors after hour phone number and Mobile Number)

CONTRACTOR'S FREIGHT / DOCK DELIVERY REQUEST

TODAY'S DATE: _____

CONTRACTOR: _____

TENANT NAME: _____

FLOOR: _____ **LOCATION:** _____

TENANT CONTACT: _____ **TELEPHONE:** _____

BRIEF DESCRIPTION OF WORK: _____
(TYPE OF DELIVERY)

THIS WILL SERVE AS A WRITTEN REQUEST FOR PRIORITY FREIGHT ELEVATOR/DOCK SERVICE FOR THE ABOVE-MENTIONED

DELIVERY DATE: _____

DELIVERY TIME: _____ **To:** _____
(START TIME) (STOP TIME)

TIMES WILL BE STRICTLY ENFORCED. AVAILABLE TIMES ARE BEFORE 6:00 AM, or after 6:00 PM

COMMENTS: _____

If access to occupied tenant space is necessary, please present evidence of **TENANT AUTHORIZATION** Along with this form or forward a request for such access **NO LESS THAN 48 HOURS IN ADVANCE TO WHEN THE WORK WILL COMMENCE.**

Anyone accessing the building will be required to show Security a type of photo ID card and Company ID. Please indicate the supervisor that will be in charge and the name of the construction workers that will be inside the space. If specific names are not known, then please list the number of workmen per trade:

Note: Security is not authorized to give access to any contractors. Please make sure a tenant representative is present.

ALL ACCESS NOTICES MUST BE RECEIVED BY BUILDING SECURITY 48 HOURS IN ADVANCE.

FOR OFFICE USE ONLY:

Approved and forwarded by: _____ **Date:** _____

CONTRACTOR AFTER-HOURS BUILDING ACCESS AUTHORIZATION FORM

Please make sure that all information is filled out correctly and send to the attention of the Building Management.

COMPANY NAME: _____

PROJECT COORDINATOR: _____
(OR JOB SUPERINTENDENT) (Please Print Name)

SUB-CONTRACTOR NEEDING ACCESS: _____

FLOOR: _____ **LOCATION:** _____

DATE OF ACCESS: _____

TIME PERIOD OF ACCESS: _____ **UNTIL:** _____

BRIEF DESCRIPTION OF WORK: _____

If access to occupied tenant space is necessary, a tenant representative must be present.

Anyone accessing the building will be required to show the security officer a type of photo ID card and Company ID. Please indicate the Supervisor who will be in charge and if at all possible the name of the construction workers who will be working in your space. If specific names are not known, please list the number of workmen per trade:

(Supervisor)

HOT WORK PERMIT

DATE OF NOTICE: _____

DATE OF SHUTDOWN: _____

SYSTEM TO BE WORKED ON: _____

FLOORS AFFECTED: _____

REASON FOR SHUTDOWN: _____

CONTRACTOR: _____

CONTACT NAME: _____

CONTACT SIGNATURE: _____

PHONE NUMBER: _____

MOBILE CELL PHONE: _____

TIME OF PERMIT: _____

TIME PERMIT EXPIRES: _____

SPECIAL INSTRUCTIONS: _____

Contractor attests that the necessary precautions including, but not limited to:

(Check all that apply or indicate N/A)

- _____ Combustibles eliminated
- _____ Floor penetrations properly protected
- _____ Required fire protection, detection and alarm systems are functional
- _____ Hot work equipment is in good repair
- _____ Adequate portable extinguishing has been provided
- _____ Dedicated fire watch during hot work operation
- _____ Area monitored after completion for a period of one hour

Circle as applicable

TAG OUT YES / NO DOCK ACCESS YES / NO FIRE DEPT. YES / NO
SECURITY YES / NO INSURANCE CO YES / NO

APPROVED BY: _____

Chief Engineer or Sub-Manager Only (Print Name)
Agent Approver}

(Signature of Managing

GENERAL NOTES:

All tenant spaces are provided on an “as is” basis. All changes to existing mechanical, electrical, fire protection and plumbing systems are at tenant’s expense. Relocating of existing light fixtures and lighting junction boxes is by tenant’s contractor.

PARTITIONS:

Demising Partition- 2 ½ “25 gauge metal studs @ 24”o.c. with two layers of 5/8” U.L. drywall to underside of floor deck above w/no interruption to Walker Duct Floor System above (top track shall not attached to metal deck), sound attenuation batt to deck and continuous acoustic sealant between drywall and deck.

Corridor Partition- 2 ½ “ 25 gauge metal studs @ 24”o.c. with one layer of 5/8” U.L. drywall to underside of floor deck above w/no interruption to Walker Duct Floor System above (top track not attached to metal deck), sound attenuation to deck.

Interior Partition- 2 ½ “25 gauge metal studs @ 24”o.c with one layer of 5/8” U.L. drywall to underside of finished ceiling. A clearance of 6” will be maintained between the top steel stud header and the deck above. The building HVAC system utilizes the plenum for return air.

PAINTING:

Two coats egg-shell latex paint provided as required to achieve uniform color for building standard partitions. Colors to be selected by tenant. Wall covering can be added at tenant’s option.

DOORS:

3’-0” X 8’-10” X 1 ¾ “ solid cored doors, prefinished, plain sliced Maple-clear finish, pre-machined for mortise hardware and butts. 5 ply architectural grade with full time warranty.

FRAMES:

Aluminum clear anodized finish, 2” profile, 3 ¾ “throat. Prepared for 4 hinges. Hardware locations are to match existing building standard.

HVAC: Air Diffusors: Supply-Titus Omni 2' x 2'. Return-Titus Par 2' x 2'.

**ACOUSTICAL
CEILING:** Ceiling Grid-24"x24" Armstrong Silhouette XL9/16" Bolt Slot Grid with ¼" reveal
Ceiling Tile- 24"x24" Armstrong Ultima (#1912A).

LIGHTING: 2 x 2 or 2 x 4 Core-lite low profile fixture class R1, product info: round perf, 2T5, ultra shallow recessed, white reflector 277V.
Rectangular wall-washer, Lightolier, product number 4x9LWCLW-132W-4PIN.
6" recessed down light, Lightolier, product number 8031CLW, triple tube fluorescent.

ELECTRICAL: Electrical service equipment will be provided in "as is" condition. All new individual meters and breaker panels at tenant cost.
Exit sign relocation is part of Tenant Improvement.
Emergency heat disconnect switch relocation by tenants electrical contractor.

SPRINKLERS: Quick Response concealed type with chrome cover plate. Manufactured by Viking, Reliable, Tyco or Victaulic are acceptable. Relocation/addition of a fire hose cabinet to be at tenants expense.

SIGNAGE: Multi-Tenant corridor signage must be obtained through the landlord to confirm building. Standard signage is maintained. The cost will be invoiced to the tenant. Full floor Tenant's may customize signage, providing it meets ADA requirements.

Signature Acknowledgment

I acknowledge that I have read and understand the Rules and Regulations.

_____ Date: _____

Signature

Print Name

Title

Company

By signing this acknowledgment you are also acknowledging that any subcontractors working on your behalf also understand the Rules and Regulations.

A copy of this signature Acknowledgment must be submitted to Building Management prior to the start of any work.